

May 18, 2021

Mark Wixson  
Vernon-Sherrill CSD  
5275 State Rt  
Verona, NY 13478

RE: Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Dear Mark Wixson:

Enclosed are the analytical results for sample(s) received by the laboratory on May 10, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kimberley M. Mack  
kimberley.mack@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

---

### **Pace Analytical Services Long Island**

Virginia Certification # 460302

Delaware Certification # NY10478

Delaware Certification # NY10478

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Sample: MAE 1	Lab ID: 70172276001	Collected: 04/28/21 12:26	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.4	ug/L	1.0	1		05/17/21 14:38	7439-92-1	
<b>Sample: MAE 2</b>	<b>Lab ID: 70172276002</b>	Collected: 04/28/21 12:24	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 14:40	7439-92-1	
<b>Sample: MAE 3</b>	<b>Lab ID: 70172276003</b>	Collected: 04/28/21 12:23	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.4	ug/L	1.0	1		05/17/21 14:41	7439-92-1	
<b>Sample: MAE 4 HAND WASH</b>	<b>Lab ID: 70172276004</b>	Collected: 04/28/21 12:17	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.0	ug/L	1.0	1		05/17/21 14:42	7439-92-1	M1
<b>Sample: MAE 5 NEXT TO SAME</b>	<b>Lab ID: 70172276005</b>	Collected: 04/28/21 12:18	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	239	ug/L	1.0	1		05/17/21 14:45	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

Sample: MAE 6 2 BAY	Lab ID: 70172276006	Collected: 04/28/21 12:19	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.1	ug/L	1.0	1		05/17/21 14:46	7439-92-1	
<b>Sample: MAE 7</b>	<b>Lab ID: 70172276007</b>	Collected: 04/28/21 12:14	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.1	ug/L	1.0	1		05/17/21 14:47	7439-92-1	
<b>Sample: MAE 8</b>	<b>Lab ID: 70172276008</b>	Collected: 04/28/21 12:00	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 14:48	7439-92-1	
<b>Sample: MAE 9</b>	<b>Lab ID: 70172276009</b>	Collected: 04/28/21 12:05	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.5	ug/L	1.0	1		05/17/21 14:48	7439-92-1	
<b>Sample: MAE 10</b>	<b>Lab ID: 70172276010</b>	Collected: 04/28/21 12:10	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	7.2	ug/L	1.0	1		05/17/21 14:51	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

Sample: MAE 11	Lab ID: 70172276011	Collected: 04/28/21 12:07	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>9.1</b>	ug/L	1.0	1		05/17/21 14:52	7439-92-1	

Sample: MAE 12	Lab ID: 70172276012	Collected: 04/28/21 12:05	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>6.3</b>	ug/L	1.0	1		05/17/21 14:53	7439-92-1	

Sample: MAE 13	Lab ID: 70172276013	Collected: 04/28/21 12:06	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>10.4</b>	ug/L	1.0	1		05/17/21 14:54	7439-92-1	

Sample: MAE 14	Lab ID: 70172276014	Collected: 04/28/21 12:09	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>10.4</b>	ug/L	1.0	1		05/17/21 14:55	7439-92-1	

Sample: MAE 15 (RM 119)	Lab ID: 70172276015	Collected: 04/28/21 12:01	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.5</b>	ug/L	1.0	1		05/17/21 14:56	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

Sample: MAE 16	Lab ID: 70172276016	Collected: 04/28/21 12:02	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	5.3	ug/L	1.0	1		05/17/21 14:58	7439-92-1	

Sample: MAE 17	Lab ID: 70172276017	Collected: 04/28/21 12:03	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:03	7439-92-1	

Sample: MAE 18	Lab ID: 70172276018	Collected: 04/28/21 12:03	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:04	7439-92-1	

Sample: MAE 19	Lab ID: 70172276019	Collected: 04/28/21 11:54	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:05	7439-92-1	

Sample: MAE 20	Lab ID: 70172276020	Collected: 04/28/21 11:53	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:06	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

Sample: MAE 21	Lab ID: 70172276021	Collected: 04/28/21 11:52	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.4	ug/L	1.0	1		05/17/21 15:07	7439-92-1	
<b>Sample: MAE 22</b>	<b>Lab ID: 70172276022</b>	Collected: 04/28/21 11:45	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.9	ug/L	1.0	1		05/17/21 15:08	7439-92-1	
<b>Sample: MAE 23</b>	<b>Lab ID: 70172276023</b>	Collected: 04/28/21 11:43	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:09	7439-92-1	
<b>Sample: MAE 24</b>	<b>Lab ID: 70172276024</b>	Collected: 04/28/21 11:44	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/17/21 15:09	7439-92-1	
<b>Sample: MAE 25</b>	<b>Lab ID: 70172276025</b>	Collected: 04/28/21 11:50	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	12.6	ug/L	1.0	1		05/17/21 15:10	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Sample: MAE 26		Lab ID: 70172276026	Collected: 04/28/21 11:51	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/17/21 15:13	7439-92-1	
Sample: MAE 27 (136A)		Lab ID: 70172276027	Collected: 04/28/21 11:57	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	20.4	ug/L	1.0	1		05/17/21 15:16	7439-92-1	
Sample: MAE 28		Lab ID: 70172276028	Collected: 04/28/21 12:28	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	4.2	ug/L	1.0	1		05/17/21 15:17	7439-92-1	
Sample: MAE 29		Lab ID: 70172276029	Collected: 04/28/21 12:29	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	158	ug/L	1.0	1		05/17/21 15:18	7439-92-1	
Sample: MAE 30		Lab ID: 70172276030	Collected: 04/28/21 12:30	Received: 05/10/21 11:40	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		05/17/21 15:19	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Sample: MAE 31	Lab ID: 70172276031	Collected: 04/28/21 12:31	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>34.0</b>	ug/L	1.0	1		05/17/21 15:20	7439-92-1	
<b>Sample: MAE 32</b>	<b>Lab ID: 70172276032</b>	Collected: 04/28/21 12:32	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>&lt;1.0</b>	ug/L	1.0	1		05/17/21 15:21	7439-92-1	
<b>Sample: MAE 33</b>	<b>Lab ID: 70172276033</b>	Collected: 04/28/21 12:33	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>5.2</b>	ug/L	1.0	1		05/17/21 15:22	7439-92-1	
<b>Sample: MAE 34</b>	<b>Lab ID: 70172276034</b>	Collected: 04/28/21 12:34	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>2.1</b>	ug/L	1.0	1		05/17/21 15:25	7439-92-1	
<b>Sample: MAE 35</b>	<b>Lab ID: 70172276035</b>	Collected: 04/28/21 12:35	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<b>3.6</b>	ug/L	1.0	1		05/17/21 15:26	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Sample: MAE 36	Lab ID: 70172276036	Collected: 04/28/21 12:36	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	15.8	ug/L	1.0	1		05/17/21 15:28	7439-92-1	M1

Sample: MAE 37	Lab ID: 70172276037	Collected: 04/28/21 12:37	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:31	7439-92-1	

Sample: MAE 39	Lab ID: 70172276038	Collected: 04/28/21 11:36	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:32	7439-92-1	

Sample: MAE 40	Lab ID: 70172276039	Collected: 04/28/21 11:37	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:33	7439-92-1	

Sample: MAE 41	Lab ID: 70172276040	Collected: 04/28/21 11:38	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:36	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Sample: MAE 42	Lab ID: 70172276041	Collected: 04/28/21 11:40	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:37	7439-92-1	

Sample: MAE 43	Lab ID: 70172276042	Collected: 04/28/21 11:41	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:38	7439-92-1	

Sample: MAE 44	Lab ID: 70172276043	Collected: 04/28/21 11:42	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		05/17/21 15:39	7439-92-1	

Sample: MAE 47	Lab ID: 70172276044	Collected: 04/28/21 11:29	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.5	ug/L	1.0	1		05/17/21 15:40	7439-92-1	

Sample: MAE 48	Lab ID: 70172276045	Collected: 04/28/21 11:32	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	6.9	ug/L	1.0	1		05/17/21 15:40	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

Sample: MAE 49	Lab ID: 70172276046	Collected: 04/28/21 11:33	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	3.8	ug/L	1.0	1		05/17/21 15:41	7439-92-1	M1

Sample: MAE 50 BOTTLE FILTER	Lab ID: 70172276047	Collected: 04/28/21 11:34	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	<1.0	ug/L	1.0	1		05/17/21 15:44	7439-92-1	

Sample: MAE 51	Lab ID: 70172276048	Collected: 04/28/21 12:14	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	1.3	ug/L	1.0	1		05/17/21 15:47	7439-92-1	

Sample: MAE 52	Lab ID: 70172276049	Collected: 04/28/21 12:14	Received: 05/10/21 11:40	Matrix: Drinking Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

<b>200.8 MET ICPMS Drinking Water</b>	Analytical Method: EPA 200.8 Pace Analytical Services - Melville							
Lead	2.0	ug/L	1.0	1		05/17/21 15:48	7439-92-1	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

QC Batch:	208842	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70172276001, 70172276002, 70172276003, 70172276004, 70172276005, 70172276006, 70172276007, 70172276008, 70172276009, 70172276010, 70172276011, 70172276012, 70172276013, 70172276014, 70172276015		

METHOD BLANK:	1040881	Matrix:	Water
Associated Lab Samples:	70172276001, 70172276002, 70172276003, 70172276004, 70172276005, 70172276006, 70172276007, 70172276008, 70172276009, 70172276010, 70172276011, 70172276012, 70172276013, 70172276014, 70172276015		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 14:29	

LABORATORY CONTROL SAMPLE:	1040882					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE:	1040884						
Parameter	Units	70172224001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.3	50	41.2	72	70-130	

MATRIX SPIKE SAMPLE:	1040886						
Parameter	Units	70172276004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.0	50	37.5	65	70-130	M1

SAMPLE DUPLICATE:	1040883					
Parameter	Units	70172224001 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	5.3	5.3	1		

SAMPLE DUPLICATE:	1040885					
Parameter	Units	70172276004 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	5.0	4.9	1		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

QC Batch:	208848	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70172276016, 70172276017, 70172276018, 70172276019, 70172276020, 70172276021, 70172276022, 70172276023, 70172276024, 70172276025, 70172276026, 70172276027, 70172276028, 70172276029, 70172276030, 70172276031, 70172276032, 70172276033, 70172276034, 70172276035		

METHOD BLANK:	1040901	Matrix:	Water
Associated Lab Samples:	70172276016, 70172276017, 70172276018, 70172276019, 70172276020, 70172276021, 70172276022, 70172276023, 70172276024, 70172276025, 70172276026, 70172276027, 70172276028, 70172276029, 70172276030, 70172276031, 70172276032, 70172276033, 70172276034, 70172276035		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 14:57	

LABORATORY CONTROL SAMPLE:	1040902					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.1	100	85-115	

MATRIX SPIKE SAMPLE:	1040904						
Parameter	Units	70172276016 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	5.3	50	40.0	70	70-130	

MATRIX SPIKE SAMPLE:	1040906						
Parameter	Units	70172276026 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	35.6	71	70-130	

SAMPLE DUPLICATE:	1040903					
Parameter	Units	70172276016 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	5.3	5.3	2		

SAMPLE DUPLICATE:	1040905					
Parameter	Units	70172276026 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	<1.0	<1.0			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

QC Batch:	208850	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	200.8 MET No Prep Drinking Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70172276036, 70172276037, 70172276038, 70172276039, 70172276040, 70172276041, 70172276042, 70172276043, 70172276044, 70172276045, 70172276046, 70172276047, 70172276048, 70172276049		

METHOD BLANK:	1040911	Matrix:	Water
Associated Lab Samples:	70172276036, 70172276037, 70172276038, 70172276039, 70172276040, 70172276041, 70172276042, 70172276043, 70172276044, 70172276045, 70172276046, 70172276047, 70172276048, 70172276049		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	05/17/21 15:27	

LABORATORY CONTROL SAMPLE:	1040912					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	50.5	101	85-115	

MATRIX SPIKE SAMPLE:	1040914						
Parameter	Units	70172276036 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	15.8	50	48.5	65	70-130	M1

MATRIX SPIKE SAMPLE:	1040916						
Parameter	Units	70172276046 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.8	50	37.9	68	70-130	M1

SAMPLE DUPLICATE:	1040913					
Parameter	Units	70172276036 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	15.8	15.7	1		

SAMPLE DUPLICATE:	1040915					
Parameter	Units	70172276046 Result	Dup Result	RPD	Qualifiers	
Lead	ug/L	3.8	3.7	2		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCALLISTER CSD 4/28  
Pace Project No.: 70172276

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70172276001	MAE 1	EPA 200.8	208842		
70172276002	MAE 2	EPA 200.8	208842		
70172276003	MAE 3	EPA 200.8	208842		
70172276004	MAE 4 HAND WASH	EPA 200.8	208842		
70172276005	MAE 5 NEXT TO SAME	EPA 200.8	208842		
70172276006	MAE 6 2 BAY	EPA 200.8	208842		
70172276007	MAE 7	EPA 200.8	208842		
70172276008	MAE 8	EPA 200.8	208842		
70172276009	MAE 9	EPA 200.8	208842		
70172276010	MAE 10	EPA 200.8	208842		
70172276011	MAE 11	EPA 200.8	208842		
70172276012	MAE 12	EPA 200.8	208842		
70172276013	MAE 13	EPA 200.8	208842		
70172276014	MAE 14	EPA 200.8	208842		
70172276015	MAE 15 (RM 119)	EPA 200.8	208842		
70172276016	MAE 16	EPA 200.8	208848		
70172276017	MAE 17	EPA 200.8	208848		
70172276018	MAE 18	EPA 200.8	208848		
70172276019	MAE 19	EPA 200.8	208848		
70172276020	MAE 20	EPA 200.8	208848		
70172276021	MAE 21	EPA 200.8	208848		
70172276022	MAE 22	EPA 200.8	208848		
70172276023	MAE 23	EPA 200.8	208848		
70172276024	MAE 24	EPA 200.8	208848		
70172276025	MAE 25	EPA 200.8	208848		
70172276026	MAE 26	EPA 200.8	208848		
70172276027	MAE 27 (136A)	EPA 200.8	208848		
70172276028	MAE 28	EPA 200.8	208848		
70172276029	MAE 29	EPA 200.8	208848		
70172276030	MAE 30	EPA 200.8	208848		
70172276031	MAE 31	EPA 200.8	208848		
70172276032	MAE 32	EPA 200.8	208848		
70172276033	MAE 33	EPA 200.8	208848		
70172276034	MAE 34	EPA 200.8	208848		
70172276035	MAE 35	EPA 200.8	208848		
70172276036	MAE 36	EPA 200.8	208850		
70172276037	MAE 37	EPA 200.8	208850		
70172276038	MAE 39	EPA 200.8	208850		
70172276039	MAE 40	EPA 200.8	208850		
70172276040	MAE 41	EPA 200.8	208850		
70172276041	MAE 42	EPA 200.8	208850		
70172276042	MAE 43	EPA 200.8	208850		
70172276043	MAE 44	EPA 200.8	208850		
70172276044	MAE 47	EPA 200.8	208850		
70172276045	MAE 48	EPA 200.8	208850		
70172276046	MAE 49	EPA 200.8	208850		
70172276047	MAE 50 BOTTLE FILTER	EPA 200.8	208850		
70172276048	MAE 51	EPA 200.8	208850		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: MCALLISTER CSD 4/28

Pace Project No.: 70172276

---

<b>Lab ID</b>	<b>Sample ID</b>	<b>QC Batch Method</b>	<b>QC Batch</b>	<b>Analytical Method</b>	<b>Analytical Batch</b>
<b>70172276049</b>	<b>MAE 52</b>	EPA 200.8	208850		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4359

Section A  
**Required Client Information:**  
 Company: The Oaks ESJ  
 Address: 104 Erie Boulevard East, Pace, NY 13150  
 Phone: 518-377-9841  
 Requested Due Date: 5/20/11

Section B  
**Required Project Information:**  
 Report To: William Kotas  
 Copy To: William Kotas  
 Project Name: MEA 11916 CSP  
 Project #: 08219359

Section C  
**Invoice Information:**  
 Attention: William Kotas  
 Company Name: Interface-SI  
 Address: 104 Erie Boulevard  
 Pace Quote:  
 Pace Project Manager:  
 Pace Profile #:

Regulatory Agency: [Blank]  
 State / Location: NY

Page: 1 Of 5



ITEM #	MATRIX	CODE	SAMPLER TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	PRESERVATIVES								ANALYSES TEST	Y/N	Requested Analysis Filtered (Y/N)
				START DATE	END DATE			Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol	Other			
1	DW	DW	G	04/29	1226		1											
2	DW	DW	G		1224		1											
3	DW	DW	G		1223		1											
4	DW	DW	G		1217		1											
5	DW	DW	G		1219		1											
6	DW	DW	G		1219		1											
7	DW	DW	G		1214		1											
8	DW	DW	G		1200		1											
9	DW	DW	G		1209		1											
10	DW	DW	G		1210		1											
11	DW	DW	G		1207		1											
12	DW	DW	G		1205		1											

RELEASING BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
OSR / Pace	05/03	14:00	OSR / Pace	5-7-11	10:00	
OSR / Pace	5-10-11	11:20	OSR / Pace	5/10/11	11:40	N N Y

  

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on	Sealed	Custody	Cooler	Samples
PRINT Name of SAMPLER: Chris Putzer				(Y/N)	(Y/N)	(Y/N)	Intact
SIGNATURE of SAMPLER: [Signature]			DATE Signed: 05/03/11				

2- fax 03



**CHAIN-OF-CUSTODY / Analytical Request Document**

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

43579

Page: 2 Of 5

<b>Section A</b>	<b>Section B</b>	<b>Section C</b>
<b>Required Client Information:</b> Company: Intenrek-PSI Address: 104 Erie Boulevard Suite 1, Schenectady, NY 12305 Email: william.kotas@intenrek.com Phone: 518-377-9841 Fax: Requested Due Date:	<b>Required Project Information:</b> Report To: William Kotas Copy To: William Kotas Purchase Order #: Project Name: Project #:	<b>Invoice Information:</b> Attention: William Kotas Company Name: Intenrek-PSI Address: 104 Erie Boulevard Pace Quote: Pace Project Manager: Pace Profile #:
		Regulatory Agency State / Location NY

# ITEM	MATRIX	CODE	SAMPLER TYPE (G=GRAB C=OMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	PRESERVATIVES									Analyses Test Y/N	Pd by EPA 200.8	Residual Chlorine (Y/N)
				START DATE TIME	END DATE TIME			Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other				
14	DW	DW	G	5/10/21	12:06		1										X		
15 (K2 119)	DW	DW	G		12:07		1										X		
16	DW	DW	G		12:01		1										X		
17	DW	DW	G		12:02		1										X		
18	DW	DW	G		12:03		1										X		
19	DW	DW	G		11:54		1										X		
20	DW	DW	G		11:53		1										X		
21	DW	DW	G		11:52		1										X		
22	DW	DW	G		11:45		1										X		
23	DW	DW	G		11:43		1										X		
24	DW	DW	G		11:44		1										X		

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
				<i>William Kotas</i>	5-10-21	11:40	
				<i>Chris Putzer</i>	5-7-21	10:00	
				<i>Chris Putzer</i>	5/10/21	10:40	



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4359

Page: 3 Of 5

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: Intertek-PSI		Report To: William Kotas		Attention: William Kotas	
Address: 104 Erie Boulevard		Copy To: William Kotas		Company Name: Intertek-PSI	
Suite 1, Schenectady, NY 12305		Purchase Order #:		Address: 104 Erie Boulevard	
Email: william.kotas@intertek.com		Project Name:		Face Quote:	
Phone: 518-377-9841		Project #:		Face Project Manager:	
Requested Due Date:				Face Profile #:	

ITEM #	MATRIX CODE <small>MATRIX Drinking Water Water Waste Water Product Spill/Solid Oil Wipe Air Other Tissue</small> <small>CODE DW WT WW P SL OL WP AR OT TS</small>	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives							Analyses Test Y/N	Requested Analysis Filtered (Y/N)	TEMP in C	Received on	Sealed (Y/N)	Custody (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)												
				START DATE	END TIME			Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol									Other											
MAE25	DW G	DW G	G	5/10/21	11:50		1										X																	
26	DW G	DW G	G		11:51		1									X																		
27 (136A)	DW G	DW G	G		11:57		1									X																		
29	DW G	DW G	G		12:28		1									X																		
29	DW G	DW G	G		12:29		1									X																		
30	DW G	DW G	G		12:30		1									X																		
31	DW G	DW G	G		12:31		1									X																		
32	DW G	DW G	G		12:32		1									X																		
33	DW G	DW G	G		12:33		1									X																		
34	DW G	DW G	G		12:34		1									X																		
35	DW G	DW G	G		12:35		1									X																		
36	DW G	DW G	G		12:36		1									X																		

RELENGISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>[Signature]</i>	5-10-21	11:40	<i>[Signature]</i>	5-12-21	10:00	
<i>[Signature]</i>	5-10-21	11:40	<i>[Signature]</i>	5-10-21	11:40	

<b>SAMPLER NAME AND SIGNATURE</b>	
PRINT Name of SAMPLER: Chris Putzer	DATE Signed:
SIGNATURE of SAMPLER: <i>[Signature]</i>	





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

4357

### Section A

#### Required Client Information:

Company: Interek- PSI  
Address: 104 Erie Boulevard  
Suite 1, Schenectady, NY 12305  
Email: william.kotas@intertek.com  
Phone: 518-377-9841 Fax:  
Requested Due Date:

### Section B

#### Required Project Information:

Report To: William Kotas  
Copy To: William Kotas  
Purchase Order #:  
Project Name:  
Project #:

### Section C

#### Invoice Information:

Attention: William Kotas  
Company Name: Interek-PSI  
Address: 104 Erie Boulevard  
Pace Quote:  
Pace Project Manager:  
Pace Profile #:

Page: 5

Of 5

ITEM #	MATRIX		MATERIAL CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives										Analyses Test Y/N	Requested Analysis Filtered (Y/N)	TEMP in C	SAMPLE CONDITIONS																
	MATRIX CODE	Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue			START DATE	END DATE			H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol	Other	Received on	Sealed	Custody				Cooler	Intact															
	DATE	TIME			DATE	TIME			Unpreserved	Pb by EPA 200.8	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	Received on	Sealed	Custody				Cooler	Intact															
			DW G			04/23	12:14		1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													
			DW G						1																													

**SAMPLE ID**  
One Character per box.  
(A-Z, 0-9 / , -)  
Sample Ids must be unique

MAE 52

*[Signature]*  
Pace 5-10-21 11:10 am Pat  
Pace 5-7-21 10:00  
5/10/21 11:40 19.0



# Sample Condition Upon Receipt

## WO#: 70172276

Client Name: VSCSD

Project: \_\_\_\_\_

PM: KMM

Due Date: 05/18/21

CLIENT: VSCSD

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  Yes  No    Seals intact:  Yes  NoPacking Material:  Bubble Wrap  Bubble Bags  Ziploc  None  OtherThermometer Used: T 109    Correction Factor: +0.0Cooler Temperature(°C): 19.0    Cooler Temperature Corrected(°C): 19.0

Temp should be above freezing to 6.0°C

USDA Regulated Soil (  N/A, water sample)Date and Initials of person examining contents: 5/10/21 JPDid samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)?  Yes  NoDid samples originate from a foreign source including Hawaii and Puerto Rico)?  Yes  No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID, Matrix: SL <input checked="" type="checkbox"/> OIL		
All containers needing preservation have been checked?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # <u>HC025486</u>		Sample #
All containers needing preservation are found to be in compliance with method recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH>9 Sulfide, NAOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____ Date/Time preservative added: _____
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination: KI starch test strips Lot #	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
Residual chlorine strips Lot #		
SM 4500 CN samples checked for sulfide?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Lead Acetate Strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	17.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable): _____		

Client Notification/ Resolution: \_\_\_\_\_

Field Data Required? \_\_\_\_\_

Y / N

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_